
إيا

V 895




F.g.75

....

 K895





897

Fig. 79

...

: ====




Fig. 7h

895




Fig. 7:

895




Fig. 7;

LΠ ĻĻ -

ı.m




Fig. 7K

The transfer that the

IJ

14

 895






Fig. 7L










Fig. m

×895




Fig. 70

بيد.

L895




Fig. 78

-4






Fig. 7g

ļ.d

L895




Fig. 7r

L895




Fig. 7s

_895 **●**





Fig.7+

:3 :4







Fig. 7u

√895 **•**



/ 897

Fig. 7v






Fig. Tw





V 895





Fig. 8a

V 895



F. a. 86

K 895









Fig. 8c
























76.61


Page 12/20




























Fig. 106






Fig. 10c



:==

:==






Fig. 109





Fig. 10h







Fig. 10;






Fig.116

F. Con and for the Live Hall all

|-i

Figilla


		oren de jirê ke		in a c		- Contract of the Contract of	_ [×					
General (Pol	cles) Server	s Devices	•									
Primary Serve	r;			192.1	68.1.220							
Primary Server Port:					6500							
Secondary Ser	 ver:	· · · · · · · · · · · · · · · · · · ·		192.1	192.168.1.205							
Secondary Ser	ver Port:			6503	6503							
			к	Cand	el	·						
		Meth Managara and	ميه	84								
<u>\$</u>	Marie Marie	11 To 1809191 30			r ja venska	The second of th						
General Polic	ies Servers	Devices	·. 	-		Santa de Maria de Carlos d	de de la composición de la composición Mandre de la composición de					
Device	READ	READWRITE	F	Retry	Timeout	Trap Port	Add to					
192.168.9.202	public	equipe	3		5	162						
192.168.9.205	public	equipe	3		5	162	<u>D</u> elete					
192.168.9.216	public	equipe	3		5	5012	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -					
			! { . i., }									

Fig.112


Cancel

Figille

Username:	• • • •		Kevin		
Description:	:		Kevin Snow u	ser account	
Customer Name:	· .		Equipe		
Group Level Access:					
Password:			****		
Confirm Password:			****		
	Γ	ок	Cancel		
		408	4		
The second secon	・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・ ・			or can be not expensely	
And the state of t					
General Policies Se	Mars Devices				
Geheral Policies Se	Mars Devices				
General Policies Se	Mars Devices				
General Policies Se	vers Devices Passwort				
General Policies Se	vers Devices Password				
General Policies Se	vers Devices Passwort			Ainutes:	



Page 13/21



Figillh



781 795 2031;

Oct-24-8:27AM;

Page 3





Fig.11's

1002d

10026


10026




1007

-1007c







K1006






Fig. 110

Oct - 24

8:37AM;





1014 Fig. 11r Administration Managed Device Table 1014d 1014a 101<u>4b</u> 1014e Admin. Prov. Viewer Host **Port** Timeout LID Retry Password Password **Password** Address Address team 2 team 3 team 1 9046 192.168.9.202 1521 • 1014c

Fig. 11s





Fig. 11t

User Resource Group Map Table







Fig. 11v



Sent By: Equipe Communication






Fig. 11x






47	:				,	•	•		•	• •			• •	•
	SLOT NO.	•	-	2		• •	•	5	•	• •		12	• •	•
	VERSION SLOT NO. NO.		5	4		• •	• •	•	•	• •		1	•	•
	CWD TYPE	000100	UXFUUZ	0XF002		• •	• •	0X6002	•	• •		0XF002	•	•
	PID	002	200	501		• •	•	505	•	••	,	513	• (•
			lo a	16 b			-	16e —				16 n		

\$1802 387 187 Sent By: Equipe Communications;

Y	•							• (•				• •	•
	SLOT NO.		1	1	1	1		• (•	8	•	• •	•
	VERSION SLOT NO. NO.		,	1	1	1		• (1	•	•	•
	PORT TYPE		00620	00620	00620	00620	00820	• (•		00620	•	• •	•
	PID		1500	1501	1502	1503	1504	• (•		1600		• •	•
		•	44a —	44b	44c	44d	44a —	700	40g					





Page 17/21


Sep-15-00 2:48PM;

; 150S 267 187

Seuf By: Equipe Communications;







Sep-15-00_2:49PM;

FIG. 14a

ent By: Equipe Communications;

Service Endpoint Table 76

	Servio Endpoir	Port PID
78 —	1	1500
80	2	1501
82 —	3	1501
84	4	1501
86	5	1502
88	6	1502
90	7	1503
92	8	1503
94 —	9	1503
168	10	1502
	••	. :


同G. 14b

ĻĻ Ţ rella


- de -


FIG. 14c


Logical to Physical Card Table 100



Logical to Physical Port Table 101














FIG. 16a











Oct - 31 -




























FIG. 27





1[
Į,Į
I,T
ĻŮ
ļ.: 4
,
, !\$
:: -#

Group Table 108'									
			449						
		Group #	Primary Card LID	Backup Card LID	•••				
450		1	30	31					
451		2	30	31					
452		3	30	31					
453		4	30	31					
454		5	31	32					
455		6	31	32					
456		7	31	32					
457		8	31	32					
458		9_	32	30					
459		10	32	30					
460		11	32	30					
461		12	32	30					
		•	:	:	:				






Fig. 31b








Fig. 32A

Fig. 32b







Fig. 32c







ATM







Fig. 34a

FIG. 34b





781 795 2031;



\$1502 262 187

Path Table 600

:		• • •
# of Time Slots	က	• • •
Time Slot	4	
UP Pon LID	1231	• • •
Path	1666	•••
	602	

FIG. 39

					• • •
Service End Point Table 76'		606 608 610	Path PID	1666	•••
	\ <u></u>		Time	5	•••
			FC Slice		
ce End			5.0		• • •
Servi	-		O #	1	• • •
			Ω ≇	878	•••
				604	





Fig. 40






Fig. 41C







Fig. 42





Sent By: Equipe Communications;

107-6-00 4:26PM;









FIG. 46






Seuf By: Equipe Communications;





Sent By: Equipe Communications;

Jul-6-00 4:27PM;



Sent By: Equipe Communications;

Sent By: Equipe Communications;

Fig. 52

\$150S 267 18Y







FIG. 53 Extractor



Sent By: Equipe Communications;





\$1602 262 187

Sent By: Equipe Communications;

101-12-00 3:57PM;

Page 3/5




FIG. 58

Sent By: Equipe Communications; 781 795 2031; 0ct-9-00 6:54PM; Page 5


Fig. 60a

Managed Device Table

983b-	- PID	A1	• • •	Ап	← 983
	1			_	— 983a

Fig. 60b

Chassis Table









Fig. 60d

Slot Table



_														
47/						•	•			•	•		• •	•
47b 	SLOT	30	22	21	•	•	•	24		•	•	31	• •	•
	VERSION SLOT		3	4	•	•	•	-	•	•	•	-	• •	•
	CWD TYPE		0XF002	0XF002	•	• •	•	0X6002	•	• •	•	0XF002	• •	• •
	PID		120	121	•	• •	•	124	,	• •	•	131	• •	• •
ູຜ໌														

PORT TABLE

94	:								•	•		•••
49b	CARD PID		20	20	20	20	20	•	•	•	39	• • •
	VERSION CARD NO. PID		1	l l	1	1	1		•	•	ļ	• • •
	PORT TYPE		00620	00620	00620	00620	00820	•	•	•	00620	•••
,	PID		300	301	302	303	304		•	•	400	• • •
49a		'										

SONET Path Table 600 / # of Time Slots Time Slot 9009 Port PID Path LID

	,76b	•	• • •
=	76e	Path LID	901
ole 76	, 1997	FC Time Slot	• • •
Service EndPoint Table 76 "	76c	FC Slice PID	• • •
ce Endl		FC PID	• • •
Servi		O #	• • •
	76a	SE	3000

Fig. 60i

ATM IF Table

114a		114b								
	ATM IF LID	ATM Group LID	SE LID		•••					
	5054				•••					
		•			• • •					

Fig. 60j

Virtual ATM IF Table






Fig. 60k

Virtual Connection Table





Virtual Link Table



=== Fig. 60m

Cross-Connect Table






	991a	991b	9910
Physical Managed Object	Old	Attribute Data	Function Calls - Get Proxy -991d - Get Parent -991e - Get Children -991g - Get Config -991b

Fig. 61a

Fig. 61b



9986 Fig. 62

6895






Fig. 7m











FIG. 30













Fig. 35

Fig. 3g

ļņ

ليابا

1.3 1.4






Fig. 3h




Fig.3i


the way the first the transmission

|-3 |-3 |-3

ы. На

1,5

Fig. 3j



F Į.J ı

-4

19.3K




Fig.3L

781 795 2031;

L924 BATCH.

Operant=BATCH
Operator=Execute
Version=V1_1_0_0
9249 — Task1=execute-SPATH
9246 — Task2=execute-PVC
9246 — Task4=load-SPVC-spvc1
9246 — Task5=execute-SPVC
9246 — Task6=load-SPVC-spvc2
9246 — Task6=load-SPVC-spvc2

9249 — Task50=sct-SPATH-PortID-3
9241 — Task51=execute-SPATH
9241 — Task52=set-SPATH-SlotID-2
924) — Task53=execute-SPATH

--

-4

Fig.3M

K 925

Operant=BATCH
Operator=Execute
- Version=V1_1_0_0

925a—Task1=execute-CONTROL

925b—Task2=execute-SPATH

925c—Task3=set-SPATH-PortID-3

725d—Task4=execute-SPATH

Task61=set-CONTROL-System-192.168.9.201 9254—Task62=execute-CONTROL 9254—Task63=execute-SPATH

925h-Task108=close
925; -Task109=sct-CONTROL-Server-Scrver1
-Task110=set-CONTROL-System-192.168.8.200
-Task111=execute-CONTROL
-Task112=execute-SPATH






Fig.4a




Fig.45







Fig. 4d



K 895





Fig. 4e






Fig.49

ļ.




Fig. 4h




Fig. 4i




Fig. 4j




Fig.4K




Fig. 4L





Fig. 4m



T.

-







Fig.40

• INCHERNAT B · @ 192,168,9.203 th ● 192,198,9,301

Į,Ų M

:=1

K895



897


Fig.4P

M

1==


556d

K895



897


Fig. 48




781 795 2031;

897

Fig. 47





Ħ

13

- =









Fig.4u



























































Page 17/20


providing optical on-ramp


ÉvailNet Manager: 192.168.9.202 - Virtual Connection Wizard


Welcome to
ÉQUIPE Communications

Fig. 5w









9486

Fig. 57

V 895




Fig. 6a









Fig.6c



895




Fig.6d




Fig. Le




Fig.6f

L895





Fig. 69






Fig.6h






Fig. 6i

--








Fig. CK

|-# |-#

·7

J

695




Fig. LL

556h

13






Fig.lm

Į,Ħ

-4

895




Fig. 6n

14

895




Fig. 60

J.

: chi

V 895





Fig. 6P








Fig. 76

.=

ı.d.




Fig.7c

H

K 895




Fig.7d

,↓ |-≛ 1895




Fig. 7e

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
☐ GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
OTHER:

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.